



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

**CERTIFICATE NO.:** 2024011002621573

**NAME AND ADDRESS OF THE APPLICANT**

Vossloh-Schwabe Deutschland GmbH  
Stuttgarter Straße 61/1 , 73614 Schorndorf , Germany

**NAME AND ADDRESS OF THE MANUFACTURER**

Vossloh-Schwabe Deutschland GmbH  
Stuttgarter Straße 61/1 , 73614 Schorndorf , Germany

**NAME AND LOCATION OF THE FACTORY**



**PRODUCT NAME,MODEL AND SPECIFICATION**

A.C. Supplied Electronic Controlgear For LED Modules (Built in, Constant Current Mode, SELV, ta:45°C, Temperature Declared Thermally Protected: 110°C, Suitable For Normally Flammable Material Surfaces, Non-Controlled Port Dimming)

See Appendix; Input : 220-240V ~ 50/60Hz.

**STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS**

GB 17625.1-2022;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

**Valid from:** Apr.17,2024

**Valid until:** Apr.16,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

CERTIFICATE NO. : 2024011002621573

Appendix: Page 1 of 2

序号	产品型号	参数	输出电 流(恒流 mA)	拨码开光选择	
				Pin1	Pin2
1.	ECXe 1050.671	输入: 220-240V~, 50/60Hz, 240-210mA, λ: 0.86-0.98 输出: 44.1W, 20-42V $\overline{\text{---}}$ , Max.60V $\overline{\text{---}}$ , ta: 45°C, tc: 85°C (半灌封)	900	OFF	OFF
			950	OFF	ON
			1000	ON	OFF
			1050	ON	ON
2.	ECXe 800.670	输入: 220-240V~, 50/60Hz, 215-180mA, λ: 0.83-0.97 输出: 40W, 30-50V $\overline{\text{---}}$ , Max.60V $\overline{\text{---}}$ , ta: 45°C, tc: 80°C (半灌封)	500	OFF	OFF
			600	OFF	ON
			700	ON	OFF
			800	ON	ON
3.	ECXe 800.669	输入: 220-240V~, 50/60Hz, 180-160mA, λ: 0.81-0.97 输出: 33.6W, 20-42V $\overline{\text{---}}$ , Max.60V $\overline{\text{---}}$ , ta: 45°C, tc: 80°C	650	OFF	OFF
			700	OFF	ON
			750	ON	OFF
			800	ON	ON
4.	ECXe 600.668	输入: 220-240V~, 50/60Hz, 140-120mA, λ: 0.78-0.95 输出: 25.2W, 20-42V $\overline{\text{---}}$ , Max.60V $\overline{\text{---}}$ , ta: 45°C, tc: 80°C	450	OFF	OFF
			500	OFF	ON
			550	ON	OFF
			600	ON	ON

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

CERTIFICATE NO. : 2024011002621573

Appendix: Page 2 of 2

5.	ECXe 400.667	输入: 220-240V~, 50/60Hz, 95-80mA, $\lambda$ : 0.65-0.96 输出: 16.8W, 20-42V $\overline{\text{---}}$ , Max.60V $\overline{\text{---}}$ , ta: 45°C, tc: 70°C	250	OFF	OFF
			300	OFF	ON
			350	ON	OFF
			400	ON	ON
6.	ECXe 700.666	输入: 220-240V~, 50/60Hz, 80-65mA, $\lambda$ : 0.5-0.96 输出: 14W, 6-20V $\overline{\text{---}}$ , Max.60V $\overline{\text{---}}$ , ta: 45°C, tc: 75°C	350	OFF	OFF
			500	OFF	ON
			550	ON	OFF
			700	ON	ON

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.